

beautifully strong | by design **Integra**<sup>®</sup>

## HIGH PERFORMANCE COATED FABRICS

Interactive Card



Reef Upholstered Arm Lounge Seating

**MAYER**FABRICS



**ZEN**  
ZN-007 Alabaster



**ESSENCE**  
ES-017 Stone



**GRAVITY**  
TL464-007 Bone



**RELATIVITY**  
TL465-004 Greige



**VECTOR**  
VE-007 Latte



**ARCADE**  
AC-010 Driftwood



**ZIP**  
ZP-000 Mocha



**ZIP**  
ZP-007 Straw



**ARCADE**  
AC-017 Latte



**MOLECULE**  
MU-007 Oyster



**ZEN**  
ZN-017 Stone



**VECTOR**  
VE-006 Steel



**ZIP**  
ZP-006 Fog



**ARCADE**  
AC-006 Chrome



**NOBLE**  
NB-056 Folkstone



**NOBLE**  
NB-007 Buff



**NOBLE**  
NB-037 Beach



**NOBLE**  
NB-036 Dove




**NOBLE**  
NB-067 Stone



**NOBLE**  
NB-026 Greige


Additional colors are available. Please refer to the Mayer Fabrics website.



**GRAVITY**  
TL464-016 Fog



**ARCADE**  
AC-016 Pinball




**GRAVITY**  
TL464-004 Spa



**RELATIVITY**  
TL465-004 Mineral




**VECTOR**  
VE-004 Haze




**ARCADE**  
AC-014 Sky



**ZIP**  
ZP-014 Sky




**ARCADE**  
AC-026 Metal




**ZIP**  
ZP-026 Storm



**ZEN**  
ZN-016 Argent



**MOLECULE**  
MU-016 Aluminum



**VECTOR**  
VE-016 Iron



**ARCADE**  
AC-036 Smoke



**ZIP**  
ZP-036 Coal



**MATKA**  
MT-017 Mist



**MATKA**  
MT-007 Champagne



**MATKA**  
MT-024 Seafoam



**MATKA**  
MT-020 Burnish




**MATKA**  
MT-036 Titanium




**MATKA**  
MT-016 Shadow


Additional colors are available. Please refer to the Mayer Fabrics website.




**ARCADE**  
AC-033 Menthol



**ZEN**  
ZN-014 Blue Slate




**GRAVITY**  
TL464-003 Pistachio




**RELATIVITY**  
TL465-003 Eucalyptus




**VECTOR**  
VE-003 Mint



**ARCADE**  
AC-024 Laguna



**ZIP**  
ZP-004 Sea




**GRAVITY**  
TL464-013 Lichen



**ESSENCE**  
ES-016 Metal



**ZEN**  
ZN-000 Seal



**MOLECULE**  
MU-017 Stone



**VECTOR**  
VE-014 Sapphire



**ESSENCE**  
ES-014 Indigo



**RELATIVITY**  
TL465-014 Oxford



**APOLLO SILICONE**  
SAP-044 Dew



**APOLLO SILICONE**  
SAP-037 Stone



**APOLLO SILICONE**  
SAP-034 Spa



**APOLLO SILICONE**  
SAP-047 Mica




**APOLLO SILICONE**  
SAP-024 Mediterranean




**APOLLO SILICONE**  
SAP-014 Indigo

Additional colors are available. Please refer to the Mayer Fabrics website.



MOLECULE – Repeat: 2.25" H, 1.3" V Random Match  
Shown Railroaded



VECTOR – Repeat: 20.25" H, 10.25" V

# TECHNICAL INFORMATION

## High Performance Coated Fabrics | Interactive Card

Pattern 54"	Content and Backing	Certifications	Weight/ Linear Yd.	Pattern Repeat	Finish	Abrasion Wyzenbeek	Light- Fastness	Flammability	Cleaning Code	Grades
<b>APOLLO SILICONE</b>	45% SiO™ Silicone face, 55% Polyester backing	GREENGUARD	28 oz.	None	None	225,000^ Double Rubs	500 hours	Cal. 117-2013 NFPA 260/UFAC Class 1 ASTM E84 (Adhered & Unadhered) Class 2 or B FMVSS 302 IMO 2010 FTP Code, Part 8 BS 5852: 2006 Crib 5	BC, CFC	S
<b>ARCADE</b> <i>Directional</i>	63% Polyurethane Polycarbonate - PVC Free / 2% Silicone face, 35% Polyester backing	GREENGUARD	19 oz.	Non- Matching	WRITE AWAY® - Soil & Stain Resistant Top Coat with Ink Resistant Technology	1,000,000^ Double Rubs	300 hours	Cal. 117-2013 NFPA 260/UFAC Class 1	WS, BC, CFC	P
<b>ESSENCE</b> <i>Directional</i>	80% Vinyl - Phthalate Free face, 20% Polyester backing	GREENGUARD	30 oz.	None	Soil & Stain Resistant Top Coat with Ink Re- sistant Technology	250,000^ Double Rubs	200 hours	Cal. 117-2013 NFPA 260/UFAC Class 1	WS, BC, CFC	O
<b>GRAVITY</b>	87% Polyester, 13% Graffiti-Free® Tekloom® TPE Backing: Polyester	GREENGUARD Gold	16 oz.	Non- Matching	WRITE AWAY® - Soil & Stain Resistant Top Coat with Ink Resistant Technology	1,000,000^ Double Rubs	40 hours	Cal. 117-2013 NFPA 260/UFAC Class 1 IMO A.652(16)8.2	WS, BC, CFC	P
<b>MATKA</b> <i>Directional</i>	80% Vinyl - Phthalate Free face, 20% Polyester backing	GREENGUARD	30 oz.	Non- Matching	Soil & Stain Resistant Top Coat with Ink Resistant Technology	250,000^ Double Rubs	500 hours	Cal. 117-2013 NFPA 260/UFAC Class 1	WS, BC, CFC	O
<b>MOLECULE</b> <i>Directional Railroaded</i>	24% Polyurethane Polycarbonate - PVC Free face, 76% Polyester backing	GREENGUARD	27.5 oz.	2.25" H, 1.3" V Random Match	WRITE AWAY® - Soil & Stain Resistant Top Coat with Ink Resistant Technology	100,000^ Double Rubs	200 hours	Cal. 117-2013 NFPA 260/UFAC Class 1 IMO A.652(16)8.2	WS, BC, CFC	S
<b>NOBLE</b>	78% Vinyl face, 22% Polyester backing	GREENGUARD	30 oz.	None	Soil & Stain Resistant Top Coat with Ink Resistant Technology	100,000^ Double Rubs	300 hours	Cal. 117-2013 NFPA 260/UFAC Class 1 FMVSS 302	BC, CFC	M
<b>RELATIVITY</b> <i>Directional</i>	88% Polyester, 12% Graffiti-Free® Tekloom® TPE Backing: Polyester	GREENGUARD Gold	17 oz.	Non- Matching	WRITE AWAY® - Soil & Stain Resistant Top Coat with Ink Resistant Technology	1,000,000^ Double Rubs	40 hours	Cal. 117-2013 NFPA 260/UFAC Class 1 IMO A.652(16)8.2	WS, BC, CFC	R
<b>VECTOR</b> <i>Directional</i>	40% Polyurethane Polycarbonate - PVC Free face, 60% Polyester backing	GREENGUARD	16 oz.	20.25" H, 10.25" V	WRITE AWAY® - Soil & Stain Resistant Top Coat with Ink Resistant Technology	100,000^ Double Rubs	200 hours	Cal. 117-2013 NFPA 260/UFAC Class 1 IMO A.652(16)8.2	WS, BC, CFC	R
<b>ZEN</b> <i>Directional</i>	46% Polyurethane Polycarbonate - PVC Free/ 2% Silicone face, 52% Polyester backing	GREENGUARD	18 oz.	10.4" H, 5.3" V Non- Matching	Soil & Stain Resistant Top Coat	100,000^ Double Rubs	200 hours	Cal. 117-2013 NFPA 260/UFAC Class 1	BC, CFC	R
<b>ZIP</b> <i>Directional</i>	78% Vinyl - Phthalate Free face, 22% Polyester backing	GREENGUARD	26 oz.	None	Soil & Stain Resistant Top Coat	100,000^ Double Rubs	1000 hours	Cal. 117-2013 NFPA 260/UFAC Class 1	BC, CFC	O

### REDUCED ENVIRONMENTAL IMPACT

These products are GREENGUARD Certified or GREENGUARD Gold Certified for low chemical and particle emissions to UL standard UL 2818 and may contribute to LEED certification.

### CARE AND CLEANING INFORMATION

WS: Water/Solvent Cleaner CFC: Coated Fabrics Cleaning – Refer to Mayer website for complete cleaning info.

BC: Bleach Cleanable – 1 part bleach, 9 parts water = 10% bleach, 90% water solution. **Do not clean/disinfect fabric for longer than 10 minutes using the 10% bleach solution. Always rinse promptly with clean water after applying the bleach solution. Failure to do so will void any and all warranties.**

### DYE TRANSFER DISCLAIMER

Certain clothing and accessory dyes (such as those used on denim jeans) may migrate to lighter colors. This phenomenon is increased by humidity and temperature and is irreversible. Mayer Fabrics will not assume responsibility for dye transfer caused by external contaminants. Please check compatibility when using this product in combination with painted or varnished surfaces.

### ADDITIONAL INFORMATION

^Abrasion test results exceeding ACT Performance Guidelines are not an indicator of product lifespan. Multiple factors affect fabric durability and appearance retention.

Warranty: Please refer to the Mayer website for warranty information by pattern.

Custom Colors: All patterns can be custom colored. Minimum yardage applies.

Digital Swatch Card Color Matching: Due to color variations on different monitors and color printers, actual swatch colors may vary slightly. Please request a memo sample from Mayer Fabrics to ensure proper color representation.

Complete and current product information available at [mayerfabrics.com](http://mayerfabrics.com).

\*Fabric grades are subject to change at any time. Please contact Integra Customer Service at 800.235.0234 x 4 or [www.integraseating.com/fabrics](http://www.integraseating.com/fabrics) to confirm fabric grade.


©2022

IHPFCFD MF0322




These fabrics meet or exceed these ACT performance guidelines. \*Certification Marks owned by ACT\*

Railroaded: This feature allows reduction of seams and enables smoother furniture tailoring.



Fabric "up the roll" or "regular" position



Fabric "railroaded" or "top selvage" position

We recommend all railroaded patterns should be upholstered as shown on card.

# Integra®

# MAYER FABRICS